



OPREMUS
ASSET MANAGEMENT



EQUIPMENT AVAILABLE

Vestergaard De-Icing Systems – Elephant Beta



Table of Contents

Introduction.....	Page 3
Technical Information.....	Page 4
Specifications.....	Page 5
Equipment Listing.....	Page 6
Images.....	Page 7
Lease and Financing Options.....	Page 11
Contact Information.....	Page 12




Introduction

- The core concept of the Elephant Beta is to provide highly efficient, reliable and safe de-icing for the operator with the shortest spray distance and largest operating range.
- The long reaching telescopic spray boom enables fast and effective operation while minimizing fluid consumption. The concept enables minimum truck positioning and maintains a safe distance from the aircraft.
- The main lifting boom operates vertically above the centerline of the unit. The concept provides an unmatched stability even in the most harsh working conditions and positions.
- Remote de-icing is increasingly more attractive as today's modern airports demand time reduction between de/anti-icing and take-off to reduce the required hold-over time. This not only reduces glycol usage, but eases the glycol collection.



Technical Information





Specifications

- **Maximum ground to eye level:** 11.5m / 37'9"
- **Maximum ground to nozzle height:** 19.2m / 63"
- **Minimum ground to nozzle height:** 1.5m / 4'11"
- **Minimum operational height:** 5.2m / 17'1"
- **Minimum height (cab folded):** 4.1m / 13'5"
- **Overall width:** 2.5m / 8'2"
- **Corrosion protection by sandblasting and metallizing exposed areas before painting with primer, undercoat and top enamel, protecting hollow frame members internally.**
- **Overall length (varies on tank size):** 9.5-11.1m / 31'2" – 36'5"
- **Total tank capacity:** 6,000/8,000/10,000 ltr / 1,600/2,100/2600 Gal
- **Total unit weight (varies on tank size):** 22 -29 Tons
- **Cabin noise level:** 70bB(a)



Equipment Listing

Truck Type	Model	Year	Fuel	Blending	Forced Air	Rear Engine (hrs.)*	Open/Close Bucket	Prop. Mix	Men	Aux (hrs.)*	Heater (hrs.)*
Vestergaard	Beta	2007	Diesel	Yes	Yes	2,364	Closed	Yes	Single	2394	486
Vestergaard	Beta	2007	Diesel	Yes	Yes	2,504	Closed	Yes	Single	2555	276
Vestergaard	Beta	2007	Diesel	Yes	Yes	1,272	Closed	Yes	Single	1290	245
Vestergaard	Beta	2007	Diesel	Yes	Yes	1,627	Closed	Yes	Single	1553	289
Vestergaard	Beta	2007	Diesel	Yes	No	846	Closed	Yes	Single	861	222
Vestergaard	Beta	2006	Diesel	Yes	Yes	1,536	Closed	Yes	Single	1539	480



Images

The World's Fastest and Most Efficient Aircraft De-icing System





Images





Images





Images





Financing and Lease Offers

Attractive Long Term Lease Rates Available for Qualified Buyers:

- Equipment ready for immediate Purchase or Lease
- Lease terms from 2 to 7 years
- Operating and capital lease structures available
- Please call for quotes



Contact Info

Please contact us with any questions.

Stephen Smith
Senior Vice President – Portfolio Services
Toll Free: 855.OPREMUS
International: +1 949.732.6370 Ext. 110
Fax: 949.242.2924
Email: ssmith@opremus.com

Adrian N. Brindis
Vice President
Toll Free: 855.OPREMUS
International: +1 949.732.6370 Ext. 112
Fax: 949.242.2924
Email: abrindis@opremus.com

Headquarters:
2211 Michelson Drive, Suite 1110
Irvine, CA 92612 USA

OPREMUS.COM